
Sommaire

I : HFPV :

High Frequency Percussive Ventilation : Principle and fifteen year of experience on preterm infants with respiratory distress syndrome – [Adel Bougatef, MD, PhD, ; Ann Casteels, MD ; Filip Cools MD ; Daniel De Wolf , MD, PhD ; Luc Foubert, MD, PHD. Neonatal Intensive Care Unit, Universitair Ziekenhuis Brussels, Department of Pediatric Cardiology, Ghent University Hospital Gent, Department of Anesthesia and Intensive Care, OLV Hospital Aalst - Belgium](#)

Measurement of pulsatile tidal volume, pressure amplitude, and gas flow during high-frequency percussive ventilation, with and without partial cuff deflation – [Allan PF, Thurlby JR, Naworol GA. - Pulmonary Medicine Flight, Wilford Hall Medical Center, 759th MSGS/MCCP, 2200 Bergquist Drive, Lackland Air Force Base TX 78236.](#)

Smoke inhalation injury: diagnosis and respiratory management – [Ogura H, Sumi Y, Matsushima A, Tohma Y, Inoue Y, Tasaki O, Shimazu T, Sugimoto H. - Department of Traumatology and Acute Critical Medicine, Osaka University Medical School, Osaka, Japan.](#)

High-frequency percussive ventilation improves oxygenation in trauma patients with acute respiratory distress syndrome: a retrospective review - [Eastman A, Holland D, Higgins J, Smith B, Delagarza J, Olson C, Brakenridge S, Foteh K, Friese R. - Department of Surgery, University of Texas Southwestern Medical Center at Dallas, 75390-9158, USA.](#)

High-frequency percussive ventilation with systemic heparin improves short-term survival in a LD100 sheep model of acute respiratory distress syndrome - [Eastman A, Holland D, Higgins J, Smith B, Delagarza J, Olson C, Brakenridge S, Foteh K, Friese R. -Department of Surgery, Shriners Hospitals for Children, University of Texas Medical Branch, Galveston, Texas 77555-0528, USA.](#)

Mechanical loads modulate tidal volume and lung washout during high-frequency percussive ventilation - [Lucangelo U, Antonaglia V, Zin WA, Berlot G, Fontanesi L, Peratoner A, Bernabe F, Gullo A. - Department of Perioperative Medicine, Intensive Care and Emergency, Cattinara Hospital, Trieste University School of Medicine, Strada di Fiume 447, I-34139 Trieste, Italy.](#)

High-frequency percussive ventilation during surgical bronchial repair in a patient with one lung - [Lucangelo U, Zin WA, Antonaglia V, Gramaticopolo S, Maffessanti M, Liguori G, Cortale M, Gullo A. - Department of Perioperative Medicine, Intensive Care and Emergency, Cattinara Hospital, Trieste University School of Medicine, Strada di Fiume 447, I-34139 Trieste, Italy.](#)

High-frequency percussive ventilation - [Salim A, Martin M. - Department of Surgery, Division of Trauma and Critical Care, University of Southern California Keck School of Medicine, USA.](#)

High-frequency percussive ventilation - [Lucangelo U, Antonaglia V, Gullo A, Zin WA. Department of Perioperative Medicine, Intensive Care and Emergency, Cattinara Hospital, Trieste University School of Medicine, Strada di Fiume 447, I-34139 Trieste, Italy](#)

High-frequency percussive ventilation: an alternative mode of ventilation for head-injured patients with adult respiratory distress syndrome - [Salim A, Miller K, Dangleben D,](#)

Cipolle M, Pasquale M. - Department of Surgery, Division of Trauma and Critical Care, University of Southern California Keck School of Medicine and the Los Angeles County-University of Southern California Medical Center, USA

Effects of mechanical load on flow, volume and pressure delivered by high-frequency percussive ventilation - Lucangelo U, Antonaglia V, Zin WA, Fontanesi L, Peratoner A, Bird FM, Gullo A. - Department of Perioperative Medicine, Intensive Care and Emergency, Cattinara Hospital, Trieste University School of Medicine, Strada di Fiume 447, I-34139 Trieste, Italy

High frequency percussive ventilation (HFPV). Case reports. - Lucangelo U, Fontanesi L, Antonaglia V, Antolini F, Berlot G, Liguori G, Gullo A. - Department of Perioperative Medicine, Intensive Care and Emergency, Cattinara Hospital, Trieste University School of Medicine, Strada di Fiume 447, I-34139 Trieste, Italy

High frequency percussive ventilation (HFPV). Principles and technique. - Lucangelo U, Fontanesi L, Antonaglia V, Pellis T, Berlot G, Liguori G, Bird FM, Gullo A. - Unit of Anaesthesia and Resuscitation Department of, Perioperative Medicine Intensive Therapy and Emergency, University of Trieste, Trieste, Italy.

High frequency percussive ventilation in burn patients : hemodynamic and gas exchange - Reper P, Van Bos R, Van Loey K, Van Laeke P, Vanderkelen A - Critical Care Department, Queen Astrid Military Hospital, Bruinstreet, 1, 1120 B-, Brussels, Belgium

High-frequency percussive ventilation as a salvage modality in adult respiratory distress syndrome: a preliminary study - Paulsen SM, Killyon GW, Barillo DJ. - Adult Burn Center, Department of Surgery, Medical University of South Carolina, Charleston 29425, USA.

Bronchial stenting and high-frequency percussive ventilation treatment of descending aortic aneurysm-induced atelectasis of the left lung - Heringlake M, Schumacher J, Sedemund-Adib B, Bahlmann L, Eleftheriadis S, Sievers HH, Dalhoff K, Schmucker P. - Klinik für Anaesthesiologie, Medizinische Universität zu Lubeck, Ratzeburger Allee 160, D-23538 Lubeck, Germany.

High frequency percussive ventilation and conventional ventilation after smoke inhalation: a randomised study - Reper P, Wibaux O, Van Laeke P, Vandeenen D, Duinslaeger L, Vanderkelen A. - Critical Care Department, Queen Astrid Military Hospital, Bruinstreet, 1, 1120 B-, Brussels, Belgium

High-frequency percussive ventilation improves oxygenation in patients with ARDS - Velmahos GC, Chan LS, Tatevossian R, Cornwell EE 3rd, Dougherty WR, Escudero J, Demetriades D. - Division of Trauma/Critical Care, University of Southern California and the Los Angeles County + USC Medical Center, Los Angeles 90033, USA

High frequency percussive ventilation in paediatric patients with inhalation injury. - Cortiella J, Mlcak R, Herndon D. - University of Texas Medical Branch at Galveston, USA.

High-frequency percussive ventilation compared with conventional mechanical ventilation - Gallagher TJ, Boysen PG, Davidson DD, Miller JR, Leven SB. - Department of Anaesthesiology, University of Florida College of Medicine, Gainesville 32610-0254.

High-frequency percussive ventilation in patients with inhalation injury - [Cioffi WG, Graves TA, McManus WF, Pruitt BA Jr. - Department of Anaesthesiology, University of Florida College of Medicine, Gainesville 32610-0254.](#)

High-frequency percussive ventilation in the management of elevated intracranial pressure - [Hurst JM, Branson RD, Davis K Jr. -Department of Surgery, University of Cincinnati Medical Center, OH.](#)

Improved ventilatory function in burn patients using volumetric diffusive respiration. [Rodeberg DA, Housinger TA, Greenhalgh DG, Maschinot NE, Warden GD - Shriners Burns Institute, Cincinnati, OH 45229-3095.](#)

Decreased pulmonary barotrauma with the use of volumetric diffusive respiration in pediatric patients with burns: the 1992 Moyer Award - [Rodeberg DA, Maschinot NE, Housinger TA, Warden GD - Shriners Burns Institute, Cincinnati, OH 45229.](#)

A prospective, randomized comparison of the Volume Diffusive Respirator vs conventional ventilation for ventilation of burned children. 2001 ABA paper - [Carman B, Cahill T, Warden G, McCall J - Shriners Burns Hospital, Cincinnati, Ohio, USA.](#)

High-frequency ventilation in the treatment of infants weighing less than 1,500 grams with pulmonary interstitial emphysema: a pilot study - [Gaylord MS, Quissell BJ, Lair ME.](#)

Successful management of severe respiratory failure combining heliox with noninvasive high-frequency percussive ventilation - [Stucki P, Scalfaro P, de Halleux Q, Vermeulen F, Rappaz I, Cotting J. - Paediatric Intensive Care Unit, CHUV University Hospital, Lausanne, Switzerland.](#)

Lung compliance, airway resistance, and work of breathing in children after inhalation injury - [Mlcak R, Cortiella J, Desai M, Herndon D. - Shriners Burns Institute, Galveston, Texas 77550, USA.](#)

Prophylactic use of high-frequency percussive ventilation in patients with inhalation injury - [Cioffi WG Jr, Rue LW 3rd, Graves TA, McManus WF, Mason AD Jr, Pruitt BA Jr. - U.S. Army Institute of Surgical Research, Fort Sam Houston, San Antonio, TX 78234-5012.](#)

The usefulness of combined high-frequency percussive ventilation during acute respiratory failure after smoke inhalation - [Reper P, Dankaert R, van Hille F, van Laeke P, Duinslaeger L, Vanderkelen A. - Burn Center Brussels, Queen Astrid Military Hospital, Brussels, Belgium.](#)

Gas exchange during conventional and high-frequency pulse ventilation in the surfactant-deficient lung: influence of positive end-expiratory pressure - [Jibelian G, Lachmann B.](#)

Use of High-Frequency Percussive Ventilation in Inhalation Injuries - [Hall JJ, Hunt JL, Arnoldo BD, Purdue GF. - From the Department of Surgery, Division of Trauma, Burns, and Critical Care, UT Southwestern Medical Center, Dallas, Texas.](#)

High-frequency percussive ventilation in a pediatric patient with hydrocarbon aspiration - [Mabe TG, Honeycutt T, Cairns BA, Kocis KC, Short KA. - From the Departments of Respiratory](#)

Care (TM, KS), Pediatrics (TH, BC, KK), and Surgery (BC), University of North Carolina Hospitals, Chapel Hill, NC.

Corrective measures for compromised oxygen delivery during endotracheal tube cuff deflation with high-frequency percussive ventilation - Allan PF, Naworol G. -Department of Respiratory Therapy, Wilford Hall Medical Center, 759th MCCP, 2200 Bergquist Drive, Lackland Air Force Base, TX 78236, USA.

Clinical and pathophysiologic problems associated with smoke inhalation injury Shimazu T, Ogura H, Sugimoto H. - Department of Traumatology, Osaka University Medical School, Suita, Japan.

Airway clearance applications in the elderly and in patients with neurologic or neuromuscular compromise - Haas CF, Loik PS, Gay SE. - Critical Care Support Services, University of Michigan Hospitals and Health Centers, UH B1-H245, 1500 E Medical Center Drive, Ann Arbor, MI 48109-5024, USA.

High-frequency percussive ventilation attenuates lung injury in a rabbit model of gastric juice aspiration - Allardet-Servent J, Bregeon F, Delpierre S, Steinberg JG, Payan MJ, Ravailhe S, Papazian L. - Service de Réanimation Médicale, Hôpital Sainte-Marguerite, 270 Boulevard Sainte-Marguerite, 13274, Marseille Cedex 9, France;

II: I.P.V.:

Efficacy and safety of intrapulmonary percussive ventilation superimposed on conventional ventilation in obese patients with compression atelectasis - Tsuruta R, Kasaoka S, Okabayashi K, Maekawa T. - Advanced Medical Emergency and Critical Care Center, Yamaguchi University Hospital, Ube, Yamaguchi 755-8505, Japan.

Intrapulmonary percussive ventilation improves the outcome of patients with acute exacerbation of chronic obstructive pulmonary disease using a helmet - Antonaglia V, Lucangelo U, Zin WA, Peratoner A, De Simoni L, Capitanio G, Pascotto S, Gullo A - Department of Perioperative Medicine, Intensive Care and Emergency, Cattinara Hospital, Trieste University School of Medicine, Trieste, Italy.

Intrapulmonary percussive ventilation in tracheostomized patients: a randomized controlled trial - Clini EM, Antoni FD, Vitacca M, Crisafulli E, Paneroni M, Chezzi-Silva S, Moretti M, Trianni L, Fabbri LM. - Department of Pulmonary Rehabilitation, University of Modena, and Ospedale Villa Pineta, Via Gaiato 127, 41020, Pavullo, Italy.

Airway clearance in children with neuromuscular weakness - Panitch HB. - The University of Pennsylvania School of Medicine, The Children's Hospital of Philadelphia, Philadelphia, Pennsylvania, USA.

Physiological response to intrapulmonary percussive ventilation in stable COPD patients - [Nava S, Barbarito N, Piaggi G, De Mattia E, Cirio S.- Respiratory Intensive Care Unit, Fondazione S.Maugeri, IRCCS, Istituto Scientifico di Pavia, Via Ferrata 8, 27100 Pavia, Italy.](#)

Intrapulmonary percussive ventilation in acute exacerbations of COPD patients with mild respiratory acidosis: a randomized controlled trial [ISRCTN17802078]. [Vargas F, Bui HN, Boyer A, Salmi LR, Gbikpi-Benissan G, Guenard H, Gruson D, Hilbert G. Departement de Reanimation Medicale, Hopital Pellegrin-Tripode, Bordeaux, France.](#)

Effect of intrapulmonary percussive ventilation in a severely disabled patient with persistent pulmonary consolidation - [Wada N, Murayama K, Kaneko T, Kitazumi E. Department of Paediatrics, National Rehabilitation Center for Children with Disabilities, Tokyo.](#)

Intrapulmonary percussive ventilation vs incentive spirometry for children with neuromuscular disease - [Reardon CC, Christiansen D, Barnett ED, Cabral HJ. - Pulmonary Center, Boston University School of Medicine, Boston, MA 02118, USA.](#)

Effect of intrapulmonary percussive ventilation on mucus clearance in Duchenne muscular dystrophy patients: a preliminary report. - [Toussaint M, De Win H, Steens M, Soudon P- Subacute Respiratory Rehabilitation Unit, Mechanical Ventilation Centre and Neuromuscular Excellency Centre, Vrije University Brussel-Ziekenhuis De Bijtjes, Brussels, Belgium.](#)

A comparison of the therapeutic effectiveness of and preference for postural drainage and percussion, intrapulmonary percussive ventilation, and high-frequency chest wall compression in hospitalized cystic fibrosis patients - [Varekojis SM, Douce FH, Flucke RL, Filbrun DA, Tice JS, McCoy KS, Castile RG. - Respiratory Therapy Division, The Ohio State University, Columbus 43210, USA.](#)

A comparison of intrapulmonary percussive ventilation and conventional chest physiotherapy for the treatment of atelectasis in the pediatric patient - [Deakins K, Chatburn RL. - Department of Respiratory Care, University Hospitals of Cleveland, 11100 Euclid Avenue, Cleveland, OH 44106, USA.](#)

Physiotherapy for airway clearance in adults - [Pryor JA. - Dept of Cystic Fibrosis, Royal Brompton & Harefield NHS Trust, London, UK.](#)

Alternatives to percussion and postural drainage. A review of mucus clearance therapies: percussion and postural drainage, autogenic drainage, positive expiratory pressure, flutter valve, intrapulmonary percussive ventilation, and high-frequency chest compression with the ThAIRapy Vest.- [Langenderfer B. - Respiratory Care Program, Northern Kentucky University, Highland Heights 41099, USA.](#)

Persistent pulmonary consolidation treated with intrapulmonary percussive ventilation: a preliminary report - [Birnkrant DJ, Pope JF, Lewarski J, Stegmaier J, Besunder JB. - MetroHealth Medical Center and Department of Pediatrics, Case Western Reserve University, School of Medicine, Cleveland, Ohio, USA.](#)

The usefulness of combined high-frequency percussive ventilation during acute respiratory failure after smoke inhalation - [Reper P, Dankaert R, van Hille F, van Laeke P.](#)

Duinslaeger L, Vanderkelen A. - Burn Center Brussels, Queen Astrid Military Hospital, Brussels, Belgium.

Comparison of intrapulmonary percussive ventilation and chest physiotherapy. A pilot study in patients with cystic fibrosis - Natale JE, Pfeifle J, Homnick DN. - College of Human Medicine, Michigan State University, East Lansing.

Comparison of effects of an intrapulmonary percussive ventilator to standard aerosol and chest physiotherapy in treatment of cystic fibrosis - Homnick DN, White F, de Castro C. - Department of Pediatrics, Michigan State University, Kalamazoo Center for Medical Studies, USA

The intrapulmonary percussive ventilator and flutter device compared to standard chest physiotherapy in patients with cystic fibrosis - Newhouse PA, White F, Marks JH, Homnick DN. - Department of Pediatrics, Michigan State University, Kalamazoo Center for Medical Studies 49008, USA.

Atelectatic children treated with intrapulmonary percussive ventilation via a face mask: Clinical trial and literature overview - Yen Ha TK, Bui TD, Tran AT, Badin P, Toussaint M, Nguyen AT. - Department of Physiotherapy, Paediatric Hospital No. 1, Ho Chi Minh City, Vietnam.

Young's syndrome in the adult age: home treatment with a mechanical device of intrapulmonary percussive ventilation - Ruescas Escolano E, Chiner Vives E, Andreu Rodríguez AL, Camarasa Escrig A, Llombart Cantó M, Sancho Chust J. - Servicios de Neumología, Hospital Universitario San Juan de Alicante, Alicante.